

**DAILY INJECTION SCHEDULE (IN MW)**

FOR THE DATE (DD.MM.YY) :-

12.10.14

FROM :-

SgTPP

TO :- STATE LOAD DESPATCH CENTRE (WB), WBSETCL

TIME OF ORIGIN :-

10:00

DATE :- 11.10.14

INITIAL / REFRESHED / REVISED :-

Initial

;


| Hrs | DURA<br>Blo | Proposed injection by entity in MW from Own generating station |                 |          | Proposed Injection by the entity from own availability for other entities* | Injection of power on behalf of other entities as per 5.3(ix) | Total injection (Outside own area of supply) |
|-----|-------------|--|-----------------|----------|--|---|--|
|     |             | No OF Running unit   | Decl.Avbl.(S.O) |          |  |   |  |
|     |             |  | Actual          | Notional |  |   |  |
| (1) | (2)         | (3)  |                 |          | (4)  | (5)   | (6)=(4+5)                                    |
| 00  | 01          | 2  | 472.00          | 472.00   | 0  | 0   | 0  |
|     | 02          | 2  | 472.00          | 472.00   | 0  | 0   | 0  |
|     | 03          | 2  | 472.00          | 472.00   | 0  | 0   | 0  |
|     | 04          | 2  | 472.00          | 472.00   | 0  | 0   | 0  |
| 01  | 05          | 2  | 472.00          | 472.00   | 0  | 0   | 0  |
|     | 06          | 2  | 472.00          | 472.00   | 0  | 0   | 0  |
|     | 07          | 2  | 472.00          | 472.00   | 0  | 0   | 0  |
|     | 08          | 2  | 472.00          | 472.00   | 0  | 0   | 0  |
| 02  | 09          | 2  | 472.00          | 472.00   | 0  | 0   | 0  |
|     | 10          | 2  | 472.00          | 472.00   | 0  | 0   | 0  |
|     | 11          | 2  | 472.00          | 472.00   | 0  | 0   | 0  |
|     | 12          | 2  | 472.00          | 472.00   | 0  | 0   | 0  |
| 03  | 13          | 2  | 472.00          | 472.00   | 0  | 0   | 0  |
|     | 14          | 2  | 472.00          | 472.00   | 0  | 0   | 0  |
|     | 15          | 2  | 472.00          | 472.00   | 0  | 0   | 0  |
|     | 16          | 2  | 472.00          | 472.00   | 0  | 0   | 0  |
| 04  | 17          | 2  | 472.00          | 472.00   | 0  | 0   | 0  |
|     | 18          | 2  | 472.00          | 472.00   | 0  | 0   | 0  |
|     | 19          | 2  | 472.00          | 472.00   | 0  | 0   | 0  |
|     | 20          | 2  | 472.00          | 472.00   | 0  | 0   | 0  |
| 05  | 21          | 2  | 472.00          | 472.00   | 0  | 0   | 0  |
|     | 22          | 2  | 472.00          | 472.00   | 0  | 0   | 0  |
|     | 23          | 2  | 472.00          | 472.00   | 0  | 0   | 0  |
|     | 24          | 2  | 472.00          | 472.00   | 0  | 0   | 0  |
| 06  | 25          | 2  | 472.00          | 472.00   | 0  | 0   | 0  |
|     | 26          | 2  | 472.00          | 472.00   | 0  | 0   | 0  |

|    |    |   |        |        |   |   |   |
|----|----|---|--------|--------|---|---|---|
|    | 27 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
|    | 28 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
| 07 | 29 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
|    | 30 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
|    | 31 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
|    | 32 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
| 08 | 33 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
|    | 34 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
|    | 35 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
|    | 36 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
| 09 | 37 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
|    | 38 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
|    | 39 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
|    | 40 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
| 10 | 41 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
|    | 42 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
|    | 43 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
|    | 44 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
| 11 | 45 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
|    | 46 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
|    | 47 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
|    | 48 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
| 12 | 49 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
|    | 50 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
|    | 51 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
|    | 52 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
| 13 | 53 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
|    | 54 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
|    | 55 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
|    | 56 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
| 14 | 57 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
|    | 58 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
|    | 59 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
|    | 60 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
| 15 | 61 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
|    | 62 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
|    | 63 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
|    | 64 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |
| 16 | 65 | 2 | 472.00 | 472.00 | 0 | 0 | 0 |

|         |    |      |        |        |       |       |       |
|---------|----|------|--------|--------|-------|-------|-------|
|         | 66 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
|         | 67 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
|         | 68 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
| 17      | 69 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
|         | 70 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
|         | 71 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
|         | 72 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
| 18      | 73 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
|         | 74 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
|         | 75 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
|         | 76 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
| 19      | 77 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
|         | 78 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
|         | 79 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
|         | 80 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
| 20      | 81 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
|         | 82 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
|         | 83 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
|         | 84 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
| 21      | 85 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
|         | 86 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
|         | 87 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
|         | 88 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
| 22      | 89 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
|         | 90 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
|         | 91 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
|         | 92 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
| 23      | 93 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
|         | 94 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
|         | 95 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
|         | 96 | 2    | 472.00 | 472.00 | 0     | 0     | 0     |
| TOT MU  |    | unit | 11.328 | 11.328 | 0.000 | 0.000 | 0.000 |
| MAX(MW) |    | 2    | 472    | 472    | 0     | 0     | 0     |
| MIN(MW) |    | 2    | 472    | 472    | 0     | 0     | 0     |

COAL STOCK DATA (IN MT)

| Particular           | Date     | Linkage source | Cative source | Total    |
|----------------------|----------|----------------|---------------|----------|
| i) Opening stock     | 10.10.14 |                |               | 50983.37 |
| ii)Coal Received     | 10.10.14 |                |               | 10661    |
| iii)Coal consumption | 10.10.14 |                |               | 8164     |



|   | UNIT | AVL     | SCHE.   |
|---|------|---------|---------|
| <b>O_BLOCK</b><br>(96 th block of last day) | 2    | 452.000 | 452.000 |

**DAILY DRAWAL SCHEDULE (IN MW)**

FOR THE DATE (DD.MM.YY) :-

FROM :-

TO :- STATE LOAD DESPATCH CENTRE (WB), WBSETCL

TIME OF ORIGIN :-

INITIAL / REFRESHED / REVISED :-




DATE :-



| DURATION |     | Projected Drawal (MW) From |                        |  |   |               | Project Without Restriction |
|----------|-----|----------------------------|------------------------|--|---|---------------|-----------------------------|
|          |     | Generating-Company         | Dist. Licensee (State) | Committed inter-state power supply under sub-section(5) of | Electricity Trader(including distribution licensee in Trading mode) | Total         |                             |
| Hrs      | Blo | (a)                        | (b)                    | (c)  | (d)   | (e)=(a+b+c+d) | (f)                         |
| 00       | 01  | 0                          | 0                      | 0  | 0   | 0             | 0                           |
|          | 02  | 0                          | 0                      | 0  | 0   | 0             | 0                           |
|          | 03  | 0                          | 0                      | 0  | 0   | 0             | 0                           |
|          | 04  | 0                          | 0                      | 0  | 0   | 0             | 0                           |
| 01       | 05  | 0                          | 0                      | 0  | 0   | 0             | 0                           |
|          | 06  | 0                          | 0                      | 0  | 0   | 0             | 0                           |
|          | 07  | 0                          | 0                      | 0  | 0   | 0             | 0                           |
|          | 08  | 0                          | 0                      | 0  | 0   | 0             | 0                           |
| 02       | 09  | 0                          | 0                      | 0  | 0   | 0             | 0                           |
|          | 10  | 0                          | 0                      | 0  | 0   | 0             | 0                           |
|          | 11  | 0                          | 0                      | 0  | 0   | 0             | 0                           |
|          | 12  | 0                          | 0                      | 0  | 0   | 0             | 0                           |
| 03       | 13  | 0                          | 0                      | 0  | 0   | 0             | 0                           |
|          | 14  | 0                          | 0                      | 0  | 0   | 0             | 0                           |
|          | 15  | 0                          | 0                      | 0  | 0   | 0             | 0                           |
|          | 16  | 0                          | 0                      | 0  | 0   | 0             | 0                           |
| 04       | 17  | 0                          | 0                      | 0  | 0   | 0             | 0                           |
|          | 18  | 0                          | 0                      | 0  | 0   | 0             | 0                           |
|          | 19  | 0                          | 0                      | 0  | 0   | 0             | 0                           |
|          | 20  | 0                          | 0                      | 0  | 0   | 0             | 0                           |
| 05       | 21  | 0                          | 0                      | 0  | 0   | 0             | 0                           |
|          | 22  | 0                          | 0                      | 0  | 0   | 0             | 0                           |
|          | 23  | 0                          | 0                      | 0  | 0   | 0             | 0                           |
|          | 24  | 0                          | 0                      | 0  | 0   | 0             | 0                           |
| 06       | 25  | 0                          | 0                      | 0  | 0   | 0             | 0                           |
|          | 26  | 0                          | 0                      | 0  | 0   | 0             | 0                           |

|    |    |   |          |   |   |   |   |
|----|----|---|----------|---|---|---|---|
|    | 27 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
|    | 28 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
| 07 | 29 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
|    | 30 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
|    | 31 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
|    | 32 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
| 08 | 33 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
|    | 34 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
|    | 35 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
|    | 36 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
| 09 | 37 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
|    | 38 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
|    | 39 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
|    | 40 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
| 10 | 41 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
|    | 42 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
|    | 43 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
|    | 44 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
| 11 | 45 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
|    | 46 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
|    | 47 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
|    | 48 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
| 12 | 49 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
|    | 50 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
|    | 51 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
|    | 52 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
| 13 | 53 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
|    | 54 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
|    | 55 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
|    | 56 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
| 14 | 57 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
|    | 58 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
|    | 59 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
|    | 60 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
| 15 | 61 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
|    | 62 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
|    | 63 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
|    | 64 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |
| 16 | 65 | 0 | <b>0</b> | 0 | 0 | 0 | 0 |

|         |    |       |       |       |       |       |       |
|---------|----|-------|-------|-------|-------|-------|-------|
|         | 66 | 0     | 0     | 0     | 0     | 0     | 0     |
|         | 67 | 0     | 0     | 0     | 0     | 0     | 0     |
|         | 68 | 0     | 0     | 0     | 0     | 0     | 0     |
| 17      | 69 | 0     | 0     | 0     | 0     | 0     | 0     |
|         | 70 | 0     | 0     | 0     | 0     | 0     | 0     |
|         | 71 | 0     | 0     | 0     | 0     | 0     | 0     |
|         | 72 | 0     | 0     | 0     | 0     | 0     | 0     |
| 18      | 73 | 0     | 0     | 0     | 0     | 0     | 0     |
|         | 74 | 0     | 0     | 0     | 0     | 0     | 0     |
|         | 75 | 0     | 0     | 0     | 0     | 0     | 0     |
|         | 76 | 0     | 0     | 0     | 0     | 0     | 0     |
| 19      | 77 | 0     | 0     | 0     | 0     | 0     | 0     |
|         | 78 | 0     | 0     | 0     | 0     | 0     | 0     |
|         | 79 | 0     | 0     | 0     | 0     | 0     | 0     |
|         | 80 | 0     | 0     | 0     | 0     | 0     | 0     |
| 20      | 81 | 0     | 0     | 0     | 0     | 0     | 0     |
|         | 82 | 0     | 0     | 0     | 0     | 0     | 0     |
|         | 83 | 0     | 0     | 0     | 0     | 0     | 0     |
|         | 84 | 0     | 0     | 0     | 0     | 0     | 0     |
| 21      | 85 | 0     | 0     | 0     | 0     | 0     | 0     |
|         | 86 | 0     | 0     | 0     | 0     | 0     | 0     |
|         | 87 | 0     | 0     | 0     | 0     | 0     | 0     |
|         | 88 | 0     | 0     | 0     | 0     | 0     | 0     |
| 22      | 89 | 0     | 0     | 0     | 0     | 0     | 0     |
|         | 90 | 0     | 0     | 0     | 0     | 0     | 0     |
|         | 91 | 0     | 0     | 0     | 0     | 0     | 0     |
|         | 92 | 0     | 0     | 0     | 0     | 0     | 0     |
| 23      | 93 | 0     | 0     | 0     | 0     | 0     | 0     |
|         | 94 | 0     | 0     | 0     | 0     | 0     | 0     |
|         | 95 | 0     | 0     | 0     | 0     | 0     | 0     |
|         | 96 | 0     | 0     | 0     | 0     | 0     | 0     |
| TOT MU  |    | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| MAX(MW) |    | 0     | 0     | 0     | 0     | 0     | 0     |
| MIN(MW) |    | 0     | 0     | 0     | 0     | 0     | 0     |

|















| BLOCK | UNIT<br>CHANGE |
|-------|----------------|
| 01    | 0              |
| 02    | 0              |
| 03    | 0              |
| 04    | 0              |
| 05    | 0              |
| 06    | 0              |
| 07    | 0              |
| 08    | 0              |
| 09    | 0              |
| 10    | 0              |
| 11    | 0              |
| 12    | 0              |
| 13    | 0              |
| 14    | 0              |
| 15    | 0              |
| 16    | 0              |
| 17    | 0              |
| 18    | 0              |
| 19    | 0              |
| 20    | 0              |
| 21    | 0              |
| 22    | 0              |
| 23    | 0              |
| 24    | 0              |
| 25    | 0              |
| 26    | 0              |



|    |   |
|----|---|
| 27 | 0 |
| 28 | 0 |
| 29 | 0 |
| 30 | 0 |
| 31 | 0 |
| 32 | 0 |
| 33 | 0 |
| 34 | 0 |
| 35 | 0 |
| 36 | 0 |
| 37 | 0 |
| 38 | 0 |
| 39 | 0 |
| 40 | 0 |
| 41 | 0 |
| 42 | 0 |
| 43 | 0 |
| 44 | 0 |
| 45 | 0 |
| 46 | 0 |
| 47 | 0 |
| 48 | 0 |
| 49 | 0 |
| 50 | 0 |
| 51 | 0 |
| 52 | 0 |
| 53 | 0 |
| 54 | 0 |
| 55 | 0 |
| 56 | 0 |
| 57 | 0 |
| 58 | 0 |
| 59 | 0 |
| 60 | 0 |
| 61 | 0 |
| 62 | 0 |
| 63 | 0 |
| 64 | 0 |
| 65 | 0 |



|    |   |
|----|---|
| 66 | 0 |
| 67 | 0 |
| 68 | 0 |
| 69 | 0 |
| 70 | 0 |
| 71 | 0 |
| 72 | 0 |
| 73 | 0 |
| 74 | 0 |
| 75 | 0 |
| 76 | 0 |
| 77 | 0 |
| 78 | 0 |
| 79 | 0 |
| 80 | 0 |
| 81 | 0 |
| 82 | 0 |
| 83 | 0 |
| 84 | 0 |
| 85 | 0 |
| 86 | 0 |
| 87 | 0 |
| 88 | 0 |
| 89 | 0 |
| 90 | 0 |
| 91 | 0 |
| 92 | 0 |
| 93 | 0 |
| 94 | 0 |
| 95 | 0 |
| 96 | 0 |











**DAILY INJECTION SCHEDULE (IN MW)**

FOR THE DATE (DD.MM.YY) :-

14.07.14

FROM :-

SgTPP

TO :- STATE LOAD DESPATCH CENTRE (WB), WBSETCL

TIME OF ORIGIN :-

9:45

DATE :- 13.07.14

INITIAL / REFRESHED / REVISED

*Initial*

;

| DUR |     | Proposed injection by entity in MW from Own generating station |                 |          | Proposed Injection by the entity from own | Injection of power on behalf of other entities as | Total injection (Outside own area of supply) |
|-----|-----|--|-----------------|----------|---|---|--|
| Hrs | Blo | No OF Running unit   | Decl.Avbl.(S.O) |          |   |   |  |
|     |     |  | Actual          | Notional |   |   |  |
| (1) | (2) | (3)  |                 |          | (4)                                       | (5)   | (6)=(4+5)                                    |
| 00  | 01  | 2  | 480.00          | 480.00   | 0   | 0   | 0  |
|     | 02  | 2  | 480.00          | 480.00   | 0   | 0   | 0  |
|     | 03  | 2  | 480.00          | 480.00   | 0   | 0   | 0  |
|     | 04  | 2  | 480.00          | 480.00   | 0   | 0   | 0  |
| 01  | 05  | 2  | 480.00          | 480.00   | 0   | 0   | 0  |
|     | 06  | 2  | 480.00          | 480.00   | 0   | 0   | 0  |
|     | 07  | 2  | 480.00          | 480.00   | 0   | 0   | 0  |
|     | 08  | 2  | 480.00          | 480.00   | 0   | 0   | 0  |
| 02  | 09  | 2  | 480.00          | 480.00   | 0   | 0   | 0  |
|     | 10  | 2  | 480.00          | 480.00   | 0   | 0   | 0  |
|     | 11  | 2  | 480.00          | 480.00   | 0   | 0   | 0  |
|     | 12  | 2  | 480.00          | 480.00   | 0   | 0   | 0  |
| 03  | 13  | 2  | 480.00          | 480.00   | 0   | 0   | 0  |
|     | 14  | 2  | 480.00          | 480.00   | 0   | 0   | 0  |
|     | 15  | 2  | 480.00          | 480.00   | 0   | 0   | 0  |
|     | 16  | 2  | 480.00          | 480.00   | 0   | 0   | 0  |
| 04  | 17  | 2  | 480.00          | 480.00   | 0   | 0   | 0  |
|     | 18  | 2  | 480.00          | 480.00   | 0   | 0   | 0  |
|     | 19  | 2  | 480.00          | 480.00   | 0   | 0   | 0  |
|     | 20  | 2  | 480.00          | 480.00   | 0   | 0   | 0  |
| 05  | 21  | 2  | 480.00          | 480.00   | 0   | 0   | 0  |
|     | 22  | 2  | 480.00          | 480.00   | 0   | 0   | 0  |
|     | 23  | 2  | 480.00          | 480.00   | 0   | 0   | 0  |
|     | 24  | 2  | 480.00          | 480.00   | 0   | 0   | 0  |
| 06  | 25  | 2  | 480.00          | 480.00   | 0   | 0   | 0  |
|     | 26  | 2  | 480.00          | 480.00   | 0   | 0   | 0  |
|     | 27  | 2  | 480.00          | 480.00   | 0   | 0   | 0  |

|    |    |   |        |        |   |   |   |
|----|----|---|--------|--------|---|---|---|
|    | 28 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
| 07 | 29 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
|    | 30 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
|    | 31 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
|    | 32 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
| 08 | 33 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
|    | 34 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
|    | 35 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
|    | 36 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
| 09 | 37 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
|    | 38 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
|    | 39 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
|    | 40 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
| 10 | 41 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
|    | 42 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
|    | 43 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
|    | 44 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
| 11 | 45 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
|    | 46 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
|    | 47 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
|    | 48 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
| 12 | 49 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
|    | 50 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
|    | 51 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
|    | 52 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
| 13 | 53 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
|    | 54 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
|    | 55 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
|    | 56 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
| 14 | 57 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
|    | 58 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
|    | 59 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
|    | 60 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
| 15 | 61 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
|    | 62 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
|    | 63 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
|    | 64 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
| 16 | 65 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |
|    | 66 | 2 | 480.00 | 480.00 | 0 | 0 | 0 |

|         |    |      |        |        |       |       |       |
|---------|----|------|--------|--------|-------|-------|-------|
|         | 67 | 2    | 480.00 | 480.00 | 0     | 0     | 0     |
|         | 68 | 2    | 480.00 | 480.00 | 0     | 0     | 0     |
| 17      | 69 | 2    | 480.00 | 480.00 | 0     | 0     | 0     |
|         | 70 | 2    | 480.00 | 480.00 | 0     | 0     | 0     |
|         | 71 | 2    | 480.00 | 480.00 | 0     | 0     | 0     |
|         | 72 | 2    | 480.00 | 480.00 | 0     | 0     | 0     |
| 18      | 73 | 2    | 500.00 | 500.00 | 0     | 0     | 0     |
|         | 74 | 2    | 500.00 | 500.00 | 0     | 0     | 0     |
|         | 75 | 2    | 500.00 | 500.00 | 0     | 0     | 0     |
|         | 76 | 2    | 500.00 | 500.00 | 0     | 0     | 0     |
| 19      | 77 | 2    | 500.00 | 500.00 | 0     | 0     | 0     |
|         | 78 | 2    | 500.00 | 500.00 | 0     | 0     | 0     |
|         | 79 | 2    | 500.00 | 500.00 | 0     | 0     | 0     |
|         | 80 | 2    | 500.00 | 500.00 | 0     | 0     | 0     |
| 20      | 81 | 2    | 500.00 | 500.00 | 0     | 0     | 0     |
|         | 82 | 2    | 500.00 | 500.00 | 0     | 0     | 0     |
|         | 83 | 2    | 500.00 | 500.00 | 0     | 0     | 0     |
|         | 84 | 2    | 500.00 | 500.00 | 0     | 0     | 0     |
| 21      | 85 | 2    | 500.00 | 500.00 | 0     | 0     | 0     |
|         | 86 | 2    | 500.00 | 500.00 | 0     | 0     | 0     |
|         | 87 | 2    | 500.00 | 500.00 | 0     | 0     | 0     |
|         | 88 | 2    | 500.00 | 500.00 | 0     | 0     | 0     |
| 22      | 89 | 2    | 500.00 | 500.00 | 0     | 0     | 0     |
|         | 90 | 2    | 500.00 | 500.00 | 0     | 0     | 0     |
|         | 91 | 2    | 500.00 | 500.00 | 0     | 0     | 0     |
|         | 92 | 2    | 500.00 | 500.00 | 0     | 0     | 0     |
| 23      | 93 | 2    | 500.00 | 500.00 | 0     | 0     | 0     |
|         | 94 | 2    | 500.00 | 500.00 | 0     | 0     | 0     |
|         | 95 | 2    | 500.00 | 500.00 | 0     | 0     | 0     |
|         | 96 | 2    | 500.00 | 500.00 | 0     | 0     | 0     |
| TOT MU  |    | unit | 11.640 | 11.640 | 0.000 | 0.000 | 0.000 |
| MAX(MW) |    | 2    | 500    | 500    | 0     | 0     | 0     |
| MIN(MW) |    | 2    | 480    | 480    | 0     | 0     | 0     |

**COAL STOCK DATA (IN MT)**

| Particular           | Date     | Linkage source | Cative source | Total    |
|----------------------|----------|----------------|---------------|----------|
| i) Opening stock     | 12.07.14 |                |               | 94145.40 |
| ii)Coal Received     | 12.07.14 |                |               | 6579.29  |
| iii)Coal consumption | 12.07.14 |                |               | 7932     |