



**THE WEST BENGAL POWER DEVELOPMENT
CORPORATION.LTD.**

(A Govt. of West Bengal Enterprise)
OFFICE OF THE GENERAL MANAGER
SANTALDIH THERMAL POWER STATION
P.O. - SANTALDIH THERMAL PLANT,
DIST. - PURULIA - 723 146.

Fax No. 03251 – 260 217 / Tel No. 03251 – 260 218.

(Website Tender Notice)

NIT No.: WBPDC/ Tend-Adv/CC/15-16/69/STPS

Date:02.06.2015

Ref. No. STPS / Press Tender / 588/AHP /9267/249,

Dt.27/05/2015

Sub: Procurement of different types of gate valve, globe valve, check valve & butterfly valve for Ash conveying line & water line of unit 5&6 under AHP dept. STPS

SI. NO	Item Code	Description of Materials	QTY	Unit	Delivery Period
1	13V011258	Complete Gate Valve, 10" Gate Valve,Application:-Water,Body/Bonnet-WCB,Working Pressure:150 MWC,Working Temp:-50 deg.C.	2	NO	Four weeks from the date of placement of order
2	13V010550	300 NB Gate Valve; Application:-Water; MOC :CS; Working pressure:150MWC; Working temp:50 deg C	2	NO	
3	13V010551	300 NB Gate Valve; Application:-Water; MOC :CI; Working pressure:150MWC; Working temp:50 deg C	2	NO	
4	13V010552	250 NB Gate Valve; Application:-Air; MOC :CS; Working pressure:10000mm WC; Working temp:157 deg C	2	NO	
5	13V011268	Complete Globe Valve,12" Globe Valve,Application:-Water,Body/Bonnet-WCB,Working Pressure:80 MWC,Working Temp:-50 deg.C.	1	NO	
6	13V010245	200 NB Gate Valve; Application:-Water; MOC :CI; Working pressure:58.5MWC; Working temp:50 deg C	2	NO	
7	13V011259	Complete Globe Valve, 6" Globe Valve,Application:-Water,Body/Bonnet-WCB,Working Pressure:150 MWC,Working Temp:-50 deg.C.	4	NO	
8	13V010260	200 NB Globe Valve; Application:-Water; MOC :CS; Working pressure:150MWC; Working temp:50 deg C	4	NO	
9	13V010273	300 NB Check Valve; Application:-Water; MOC :CI; Working pressure:12MWC; Working temp:50 deg C	2	NO	
10	13V010276	150 NB Check Valve; Application:-Water; MOC :CS; Working pressure:150MWC; Working temp:50 deg C.	3	NO	

11	13V010278	80 NB Check Valve; Application:-Water; MOC :CI; Working pressure:15MWC; Working temp:50 deg C	2	NO	
12	13V010269	40 NB Globe Valve; Application:-Water; MOC :GM; Working pressure:40MWC; Working temp:50 deg C	3	NO	
13	13V010270	25 NB Globe Valve; Application:-Water; MOC :GM; Working pressure:73MWC; Working temp:50 deg C	6	NO	
14	13V010271	15 NB Globe Valve; Application:-Water; MOC :GM; Working pressure:40MWC; Working temp:50 deg C	6	NO	
15	13V010257	20 NB Gate Valve; Application:-Air; MOC :GM; Working pressure:600mmWC; Working temp:100 deg C	6	NO	
16	13V010263	100 NB Globe Valve; Application:-Water; MOC :CS; Working pressure:150MWC; Working temp:50 deg C	4	NO	
17	13V010247	100 NB Gate Valve; Application:-Water; MOC :CS; Working pressure:150MWC; Working temp:50 deg C	4	NO	
18	13V010248	100 NB Gate Valve; Application:-Water; MOC :CI; Working pressure:58.5MWC; Working temp:50 deg C	4	NO	
19	13V010255	25 NB Gate Valve; Application:-Water; MOC :GM; Working pressure:73MWC; Working temp:50 deg C	4	NO	
20	13V010352	250 NB WEFER Check Valve	4	NO	
21	03V010180	300 NB Butterfly Valve for Water line Hand Wheel Operated: Operating Pressure:15 MWC;Operating Temp:50 deg.C.	2	NO	
22	13V011266	Complete Globe Valve,8" Globe Valve,Application:-Water,Body/Bonnet-WCB,Working Pressure:80 MWC,Working Temp:-50 deg.C.	2	NO	
23	13V011267	Complete Check Valve, 6" Check Valve,Application:-Water,Body/Bonnet-WCB,Working Pressure:150 MWC,Working Temp:-50 deg.C.	2	NO	
24	13V011265	Complete Check Valve, 8" Check Valve,Application:-Water,Body/Bonnet-WCB,Working Pressure:80 MWC,Working Temp:-50 deg.C.	2	NO	
25	13V011269	80 NB Check valve; Application:-Water;Body/Bonnet-WCB,Working Pressure:80MWC,Working Temp:50 deg.C.	2	NO	
26	13V011270	80 NB Gate valve; Application:-Water;Body/Bonnet-WCB,Working Pressure:80MWC,Working Temp:50 deg.C.	2	NO	
27	13V011257	Complete Gate Valve, 6" Gate Valve,Application:-Water,Body/Bonnet-WCB,Working Pressure:150 MWC,Working Temp:-50 deg.C.	2	NO	
28	13V011261	65 NB Globe valve; Application:-Water;Body/Bonnet-WCB,Working Pressure:150MWC,Working Temp:50 deg.C.	2	NO	
29	13V011262	Complete Check Valve, 10" Check	3	NO	

		Valve,Application:-Water,Body/Bonnet-WCB,Working Pressure:150 MWC,Working Temp:-50 deg.C.			
30	03V010381	150 NB Pnumatic Operated Butterfly Valve for Wter line;Operating Pressure:80MWC,Operating Temp:120 deg.C.	3	NO	
31	03V010394	250 NB Butterfly Valve for Water line Hand Wheel Operated: Operating Pressure:15 MWC;Operating Temp:50 deg.C.	2	NO	
32	13V011260	80 NB Globe valve; Application:- Water;Body/Bonnet-WCB,Working Pressure:150MWC,Working Temp:50 deg.C.	4	NO	
33	03V010204	150 NB Pnumatic Operated Butterfly Valve for Air line;Operating Pressure:15MWC,Operating Temp:120 deg.C.	2	NO	
<p>Note:</p> <ol style="list-style-type: none"> All Gate Valves should be raising stem. Valves should be supplied as per Valve PCD, Flange to Flange distance & NO. of Holes of the existing valves. <p>Any technical clarification please contact with Sr. Mgr(AHP) Ph:8336904042</p>					

Note:

- On presentation of requisite money receipt against applicable cost of tender documents, the same will be handed over to the respective bidder(s).
- Cost of one set of Tender document: Rs.1000/- (Rupees One Thousand Only).**
- Sale of Tender Document:** From Dt. **02.06.2015 to 11.06.2015** on all working days up to 14=30 Hour (except holiday and Saturday). Sale of tender Document to the applicant/bidder will not qualify them automatically in Techno-Commercial bid. Tender Document will be sold to each of the applicants.

Tenders Documents can be obtained from Sr. Manager (M&C), STPS or his authorized representative **against written application(two copy including one duplicate)** on any working day, except holiday and Saturday, between 11=00 Hrs. and 14=30 Hrs after depositing cost of tender documents at cash counter, S.T.P.S. **by cash only.**

- The tender documents are not transferable. Cost of tender documents is nonrefundable.*
- Last date of Submission of Complete Tender and opening of Part - I , II & III of the Bids:**
 - Last date of submission: **15.06.2015** up to 3.00 P.M.
 - Opening of Part – I & II on **15.06.2015** after 3.00 P.M.
 - Opening Date & Time of Price Bid (Part-III) **shall be duly intimated.**
- INFORMATION TO BIDDERS:** This is a three part bidding system containing **Earnest Money (Part-I), Qualifying Requirement (Part-II), and Price Bid (Part-III)**. The same will be received and evaluated by the WBPDC, STPS from Technical and Financial point of view to make the selection in the best interest of the WBPDC, STPS for the complete work covered under the tender document.
 - Earnest Money (part-I):** The Earnest Money is Rs. **30,000/- (Rupees Thirty Thousand Only)**. The earnest money shall be deposited along with tender papers in the form of Bank Draft / Pay Order issued by any reputed Banks (preferably Nationalized Banks) from India in favour of "THE WEST BENGAL POWER DEVELOPMENT CORPORATION LIMITED" payable at Santaldih, Purulia or Kolkata Branch. Govt./Govt. Undertaking/SSI/NSIC unit are exempted from deposition of Earnest Money. Valid documentary evidences including store list, (applicable for above said item), shall be submitted by the bidder along with his bid to avail such exemption.

II. **Qualifying Requirement (Part-II):** All the documents, as stated under are, to be submitted in a sealed envelope otherwise the tender will be treated as invalid. Attested Xerox copy of the following supporting document should be submitted with the offer.

A. **PAN Card**,

B. **C.S.T. / VAT Registration Certificate with Return**.

C. **Valid Trade License / Manufacturer license /Enlistment certificate issued by respective authority**.

D. Has adequate financial stability and status to meet the financial obligations pursuant to the works covered in the bidding documents. **The bidders shall submit copies of their annual report including profit and loss account and audited balance sheet for each of the last three (3) financial years i.e. up to f.y. 2013-2014.**

E. Average Annual financial turnover during the last 3 years, ending 31st March of the previous financial year, should be at least **Rs.441860.00**.

F. **Technical Requirement (please submit the supporting document as applicable)**

a) The bidder shall fulfill the must condition & Past experience requirement satisfactorily as stipulated under and submit documentary evidences as applicable. Any bid which is incomplete, ambiguous, or not in compliance with the terms & conditions as laid down in the bid document is liable to be rejected.

b) **Must conditions: The bidder must be a manufacturer of the different types of valves.**
AND

c) The bidder should have manufactured 20 no valves & above quantity and supplied to any thermal power plant units having rating not less than **210MW** and any Govt. Organization/ Govt. undertaking/NTPC.

Supporting documents are to be submitted to establish the capability which includes

(i) **PO copy(s) for supply of minimum 20 no valve in a single order,**

(ii) **Successful completion certificate.**

(iii) **Performance Certificate.**

AND

Note:

3. All Gate Valves should be raising stem.

4. Valves should be supplied as per Valve PCD, Flange to Flange distance & NO. of Holes of the existing valves.

d) **Delivery period:** 4 week from the date of placement of order.

G) Experience of having successfully completed similar works during last 7 years ending last day of month previous to the one in which applications are invited should be either of the following.

A. **Three similar orders with order value not less than the amount of Rs.589145.00 each.**

OR

B. **Two similar orders with order value not less than the amount of Rs.736431.00 each.**

OR

C. **One similar order with order value not less than the amount of Rs.1178290.00.**

If any complaint / unsatisfactory report against the vendor found, the same offer may be cancelled without informing the party.

III) **Price Bid (Part-III): Available in sale Tender document & to be quoted properly with signature and official seal.**

7. **Opening of Tender:**

a) The tenders shall be opened in presence of representative of the prospective bidders, if available, at the time and date set for opening of tender as specified hereunder or in case any extension has been given thereto on the extended tender opening date and time notified to all the prospective bidders who have purchased the tender documents. The Prospective bidder's authorized representative (up to two persons) may attend the opening.

- b) The due date and time of opening of E.M.D. & Qualification of bidder is after 3.00 P.M. on **15.06.2015**. After opening the main cover, the envelope containing EMD (Part-I) shall be opened first and if EMD of requisite amount in proper mode is found ok, then Qualifying Requirement (QR) (Part-II) shall be opened.
- c) Price Bid (Part-III) of tender of those prospective bidders who will satisfy qualifying requirements and who will accept technical and commercial terms & conditions of this tender shall be opened subsequently on the same date or at a later date. The due date & time of opening of price bid will be duly intimated.

8. Evaluation of Tender:

- a) Issuance of tender documents will not mean that such tenderers are automatically considered qualified for the entire tender process.
- b) The WBPDCCL reserves the right to itself to accept any tender or reject any or all tenders or cancel / withdraw the invitation for tender without assigning any reason for such decision. Such decision by the WBPDCCL shall not be subject to question by any prospective bidders and the WBPDCCL shall bear no liability consequent upon such decision and the prospective bidders shall have no claim in this regard against the WBPDCCL.
- c) Evaluation by the WBPDCCL shall be based on the information and documentary evidence submitted by the prospective bidders in response to the tender documents. The requirements as stipulated in the tender notice and documents are the minimum and the WBPDCCL has the right to request for additional information. The WBPDCCL reserves its right to reject any tender, if in the opinion of the WBPDCCL the qualification data / documentary evidence submitted by the prospective bidders are incomplete or prospective bidders is found not qualified to satisfactorily perform the work. The WBPDCCL reserve the right to reject any tender if the prospective bidders is found to be disqualified by giving incorrect and / or false information.
- d) The WBPDCCL does not bind itself to accept the lowest tender and also reserves the right to split the work amongst more than one prospective bidder and also reserves the right to reject any or all tender or cancel the tender without assigning any reason whatsoever.
- e) Notwithstanding, anything stated above or elsewhere, the WBPDCCL reserves the right to asses the capability and capacity of the prospective bidders, should the circumstances warrant such assessment in the overall interest of the WBPDCCL.

(S. Maity)
GENERAL MANAGER
SANTALDIH THERMAL POWER STATION