

THE WEST BENGAL POWER DEVELOPMENT CORPORATION. LTD.



(A Govt. of West Bengal Enterprise)
OFFICE OF THE GENERAL MANAGER
SANTALDIH THERMAL POWER STATION
P.O. - SANTALDIH THERMAL PLANT,
DIST. - PURULIA - 723 146.
Fax No. 03251 – 260 217 / Tel No. 03251 – 260 218.

((Tender Notice for Website))

Tender Ref. No. STPS/M&C/Tend-adv/Cable Jointing/468/CHP (EM)/14-15/ 13 , Date: 02/02/2015

Description of the Work: Supply & Delivery of **Various types of Cable Jointing and Termination Materials** for CHP (EM), Santaldih.T.P.S., Purulia, WB.
[As per Annexure-II (item list) enclosed]

INFORMATION TO BIDDERS: This is a Three Part bidding system containing **Earnest Money (Part-I), Qualifying Requirement (Part-II), and Price Bid (Part-III)**. The same will be received and evaluated by the WBPDC, STPS from Technical and Financial point of view to make the selection in the best interest of the WBPDC, STPS for the complete work covered under the tender document.

1) **Earnest Money:** The Earnest Money is **Rs. 3,000/-** (Rupees Three thousand only). The earnest money shall be deposited along with tender papers in the form of Bank Draft / Pay Order issued by any reputed Banks (preferably Nationalized Banks) from India in favour of **“THE WEST BENGAL POWER DEVELOPMENT CORPORATION LIMITED” payable at UBI Santaldih , SBI Purulia Branch.**

2) **Estimated Cost :** **Rs. 1, 48,000/-** (Rs One Lac Forty Eight Thousand only) [Approx]

3) **Cost of Tender Paper :** **Rs. 200/-** (Rupees Two Hundred only).

4) **Qualifying Requirement:**

1. All the documents, as stated under are, to be submitted in a sealed envelope otherwise the tender will be treated as invalid.

Attested Xerox copy of the following must be submitted with offer:-

- PAN Card,
- C.S.T./VAT Return OR C.S.T./VAT registration Certificate.
- Trade License.
- The average annual turnover of the bidder during the last 03 (Three) years, ending 31st March of the previous financial year, should be at least 30% of the estimated cost.

2. Documents in support of:-

- Order copies in support of supplying credentials of Electric Items.
- Should have credential of supplying Electric Items in any PSU's or Govt./ semi government organizations with order value of i) Single order value of **Rs. 1.2 Lakh** or above ii) Two order value of **75 Thousands** each iii) Three order value of **60 Thousands** each in a single financial year in the preceding 7 (Seven) financial years .

NOTE:

» If any complaint / unsatisfactory report against the vendor found, the same offer may be cancelled without informing the party.

- The WBPDC reserves the right to cancel / accept the tender in absence of the documents at their discretion in case competent authority deems it.
- Legible photocopies of all documents are to be submitted with counter signed by tenderer. Original copies of documents are to be produced on demand.

5) Sale of Tender Paper: From **10.02.2015 to 20.02.2015** on all working days up to 14=30 Hour (except holiday and Saturday). Sale of tender paper to the applicant will not qualify them automatically in Techno-Commercial bid. Tender paper will be sold to each of the applicants.

Tenders Documents can be obtained from Sr. Manager (M&C), STPS or his authorized representative against written application on any working day, except Saturday & Holiday between 11=00 Hrs. and 14=30 Hrs after depositing cost of tender documents at cash counter, S.T.P.S. by cash only.

6) Last date of Submission of Complete Tenders and opening of Part - I & II of the Bids:

Last date of submission: **25.02.2015** up to **3.00 P.M.**

Opening of Part – I & II Bids: **25.02.2015** after **3.15 P.M.**

7) Opening of Tender:

- 1) The tenders shall be opened in presence of representative of the prospective bidders, if available, at the time and date set for opening of tender as specified hereunder or in case any extension has been given there to on the extended tender opening date and time notified to all the prospective bidders who have purchased the tender documents. The Prospective bidder's authorized representative (up to two persons) may attend the opening.
- 2) The due date and time of opening of E.M.D. & Qualification of bidder is after 3.15 P.M. on **25.02.2015**. After opening the main cover, the envelope containing EMD (Part-I) shall be opened first and if EMD of requisite amount in proper mode is found only then Qualifying Requirement (QR) (Part-II) shall be opened.
- 3) Price Bid (Part-III) of tender of those prospective bidders who will satisfy qualifying requirements and who will accept technical and commercial terms & conditions of this tender shall be opened subsequently **on the same date or at a later date.** The due date & time of opening of price bid will be duly intimated.

8) Evaluation of Tender:

- 1) Issuance of tender documents will not mean that such tenderers are automatically considered qualified for the entire tender process.
- 2) The WBPDCCL reserves the right to itself to accept any tender or reject any or all tenders or cancel / withdraw the invitation for tender without assigning any reason for such decision. Such decision by the WBPDCCL shall not be subject to question by any prospective bidders and the WBPDCCL shall bear no liability consequent upon such decision and the prospective bidders shall have no claim in this regard against the WBPDCCL.
- 3) Evaluation by the WBPDCCL shall be based on the information and documentary evidence submitted by the prospective bidders in response to the tender documents. The requirements as stipulated in the tender notice and documents are the minimum and the WBPDCCL has the right to request for additional information. The WBPDCCL reserves its right to reject any tender, if in the opinion of the WBPDCCL the qualification data / documentary evidence submitted by the prospective bidders are incomplete or prospective bidders is found not qualified to satisfactorily perform the work. The WBPDCCL reserve the right to reject any tender if the prospective bidders is found to be disqualified by giving incorrect and / or false information.
- 4) The WBPDCCL does not bind itself to accept the lowest tender and also reserves the right to split the work amongst more than one prospective bidder and also reserves the right to reject any or all tender or cancel the tender without assigning any reason whatsoever.
- 5) Notwithstanding, anything stated above or elsewhere, the WBPDCCL reserves the right to asses the capability and capacity of the prospective bidders, should the circumstances warrant such assessment in the overall interest of the WBPDCCL.

Sd/-

(S. Maity)

GENERAL MANAGER

SANTALDIH THERMAL POWER STATION

Encl: Annexure-II (Item List)

ANNEXURE-II [ITEM LIST]

Tender. Ref. No: STPS/M&C/Tend-adv/Cable Jointing/468/CHP (EM)/14-15/13 , Date: 02/02/2015

Sl.No	Item Code	Item Description	Reqd. Qty	Order Unit
1	04C021559	Double compression cable gland for 3.5 core 10 sq mm Al conductor PVC insulated with steel wire armored and PVC sheated (material brass),Weather proof, heavy duty, Make: Jainson/Dowell's	20	NO
2	04C021560	Double compression cable gland for 3.5 core 16 sq mm Al conductor PVC insulated with steel wire armored and PVC sheated (material brass) ,Weather proof, heavy duty, Make: Jainson / Dowell's	20	NO
3	04C021561	Double compression cable gland for 3.5 core 35 sq mm Al conductor PVC insulated with steel wire armored and PVC sheated (material brass), Weather proof, heavy duty, Make: Jainson/Dowell's	20	NO
4	04C021562	Double compression cable gland for 3.5 core 185 sq mm Al conductor PVC insulated with steel wire armored and PVC sheated (material brass) ,Weather proof, heavy duty, Make: Jainson/Dowell's	10	NO
5	04C021563	Double compression cable gland for 3.5 core 240 sq mm Al conductor PVC insulated with steel wire armored and PVC sheated (material brass) ,Weather proof, heavy duty, Make: Jainson /Dowell's	10	NO
6	04C021564	Double compression cable gland for 3.5 core 300 sq mm Al conductor PVC insulated with steel wire armored and PVC sheated (material brass) , Weather proof, heavy duty, Make: Jainson/Dowell's	10	NO
7	04C021566	Double compression cable gland for 4 core 4 sq mm Cu conductor PVC insulated with steel wire armored and PVC sheated (material brass) , Weather proof, heavy duty, Make: Jainson /Dowell's	20	NO
8	04C021565	Double compression cable gland for 3.5 core 95 sq mm Al conductor PVC insulated with steel wire armored and PVC sheated (material brass) Weather proof, heavy duty, Make: Jainson /Dowell's	10	NO
9	04C020234	Al Lug 16 sq mm Ring type; Make- Jainson Cat No.-119-216 Dowell's, Cat No- ALS-216	50	NO
10	04C020233	Al Lug 16 sq mm pin type; Make- Jainson Cat No.-RPA-24 Dowell's, Cat No-ALS-216 Reducer type	50	NO
11	04C021567	Al Lug 16 sq mm stright through type Make: Jainson Cat No. -119-4 Dowell's, Cat No-ALS-4	50	NO
12	04C020239	Cu Lug 16 sq mm Ring type(inner dia 10 mm); Make- Jainson Cat No.-171289 Dowell's, Cat No- ALS-7128	50	NO
13	04C020240	Cu Lug 16 sq mm pin type; Make- Jainson Cat no:- JP 42 Dowell's, Cat No-7128 Reducer type	50	NO
14	04C020125	STRAIGHT THROUGH COPPER LUGS 16 SQ MM inline connector Make:- Jainson Cat no:-JC-16 Dowell's, Cat No- CB-6	50	NO
15	04C021569	Al Lug 35 sq mm ring type make:- Jainson Cat No. -119-221 Dowell's, Cat No-ALS-7128	50	NO
16	04C021568	Al Lug 35 sq mm pin type Make:- Jainson Cat no 316-315 Dowell's, Cat No-CP-87	50	NO
17	04C020127	STRAIGHT THROUGH COPPER LUGS 35 SQ MM Make:- Jainson Cat No. JC-35 Dowell's, Cat No-CB-25	50	NO
18	04C020122	ALUMINIUM LUGS 95 SQ MM, RING TYPE Make:- Jainson, Cat no:-119-229 , E DIA:- 16.2mm Dowell's, Cat No-ALS-229	90	NO

19	04C020131	STRAIGHT THROUGH ALUMINIUM LUGS 95 SQ MM Make:- Jainson, Cat No.:-119-15 Dowell's, Cat No-ALS-15	50	NO
20	04C020123	ALUMINIUM LUGS 185 SQ MM, RING TYPE Make:- Jainson Cat No.119-234, Dowell's, Cat No-ALS-234 E Dia-12.7mm	40	NO
21	04C020123	ALUMINIUM LUGS 185 SQ MM, RING TYPE Make:- Jainson Cat No.119-235, Dowell's, Cat No-ALS-235 E Dia-16.2mm	40	NO
22	04C021570	Al Lug 185 sq mm stright through type Make:- Jainson Cat No.119-11, Dowell's, Cat No-ALS-11	40	NO
23	04C021571	Al Lug 240 sq mm ring type Make:- Jainson Cat No.119- 237, Dowell's, Cat No-ALS-237 E Dia-16.2mm	50	NO
24	04C021572	Al Lug 240 sq mm stright through type Make:-Jainson Cat. No.119-16 Dowell's, Cat No-ALS-16	30	NO
25	04C021573	Al Lug 300 sq mm ring type Make:- Jainson Cat No.119- 259, Dowell's, Cat No-ALS-259 E Dia-20.3mm	50	NO
26	04C021574	Al Lug 300 sq mm stright through type Make:-Jainson Cat. No.119-17 Dowell's, Cat No-ALS-17	30	NO
27	04C021575	Cu Lug 70 sq mm ring type Make:- Jainson Cat No.319- 18,Dowell's, Cat No-CUS-18 E Dia-12.7mm	30	NO
28	04C021576	Cu Lug 70 sq mm stright through type Make:- Jainson, Cat No.58-497 Dowell's, Cat No-EH-481	30	NO
29	04C020236	Cu Lug 10 sq mm Ring type; Make- Jainson Cat No.319- 08 Dowell's, Cat No-CUS-08 E Dia- 8.4mm	50	NO
30	04C020229	Al Lug 10 sq mm pin type; Make- Jainson Cat No.316- 16 Dowell's, Cat No-CP-16	50	NO
31	04C021577	Cu Lug 10 sq mm stright through type Make:- Jainson Cat No. 58-460 Dowell's, Cat No-EH-460	50	NO
32	04C021579	Cu Lug 4 sq mm pin type Make:- jainson Cat No. 316- 13 Dowell's, Cat No-CP-13	100	NO
33	04C021578	Cu Lug 4 sq mm stright through type Make: Jainson Cat No. 58-455 Dowell's, Cat No-EH-455	30	NO
34	04C020228	Cu Lug 04 sq mm Ring type; Make- Jainson Cat No. - 319-389 Dowell's, Cat No-CUS-389	100	NO
35	04C020326	Bimetallic plate (Cu-Al) Thickness :-2mm Length:- 500mm Width :-500mm	2	NO
36	04E050101	Bus bur support insulator: with two number electro plated bolt and two number spring washer. Height:- 40mm	50	NO

Total: 36 items.