

# THE WEST BENGAL POWER DEVELOPMENT CORPORATION LIMITED



(A Govt. of West Bengal Enterprise)  
OFFICE OF THE GENERAL MANAGER  
SANTALDIH THERMAL POWER STATION  
P.O. - SANTALDIH THERMAL PLANT  
DIST. PURULIA - 723 146  
Tel. No. 03251 260 218 / Fax No. 03251 260 217

**((Tender Notice for Website))**

**Tender Ref. No. :** STPS/M&C/Tender/546/EM(OPH)/14-15/493

**Date:** 15.10.2015

Sealed Tenders in prescribed format are invited from eligible, experienced, resourceful, reputed bidders for procurement of miscellaneous items for day to day maintenance under EM(OPH), EM(CHP), EM(AHP) & EM(IPH) Depts., Santaldih T.P.S. as described in **Annexure-II**. Terms & Conditions in detail will be mentioned in the Tender Document.

**Name of the Procurement:** Procurement of miscellaneous items for day to day maintenance under EM(OPH), EM(CHP), EM(AHP) & EM(IPH) Depts., Santaldih T.P.S.

**Information to the bidders:** This is a three part bidding system containing **Earnest Money (Part-I), Qualifying Requirements (Part-II) and Price Bid (Part-III)**. Tenders will be received and evaluated by Santaldih T.P.S., the WBPDCCL from technical and financial point of view to make the best selection for the interest of the WBPDCCL for the complete procurement covered under the Tender Document.

**Earnest Money:** The Earnest Money of **Rs. 12,000/-** (Rupees Twelve Thousand only) shall be deposited along with Tender Document in the form of Bank Draft/Pay Order issued by any nationalized Bank from India in favour of **"THE WEST BENGAL POWER DEVELOPMENT CORPORATION LIMITED"** payable at United Bank of India, Santaldih branch or State Bank of India, Purulia branch or payable at Kolkata for other Banks. Govt. Organizations/Undertakings, NSIC/SSI Units are exempted from submission of Earnest Money. Necessary certificate is to be submitted for NSIC/SSI units.

**Estimated Cost:** Around **Rs. 3,35,396/-** (Rupees Three Lac Thirty Five Thousand Three Hundred and Ninety Six only)

**Cost of Tender Document:** **Rs. 300/-** (Rupees Three Hundred only)

### **Qualifying Requirements (Q.R.):**

- 1) The bidder should have at least 03 (Three) years experience in supplying general electrical items/consumables at various organizations such as the WBPDCCL/WBSEDCL/WBSETCL/NTPC/SAIL or any other PSU.
- 2) Experience of having successfully completed job for supplying general electrical items/consumables in any Govt. Organization / Semi Govt. Organization / PSU / Reputed Organization within last 03 (Three) years ending 30<sup>th</sup> September, 2015 should be either of the following:
  - a) One similar completed supply order costing not less than the amount equal to 80% of the estimated cost i.e. Rs. 2,68,317/-  
Or,
  - b) Two similar completed supply orders each costing not less than the amount equal to 50% of the estimated cost i.e. Rs. 1,67,698/-  
Or,
  - c) Three similar completed supply orders each costing not less than the amount equal to 40% of the estimated cost i.e. Rs. 1,34,158/-.
- 3) The average annual financial turnover of the bidder during the last 03 (Three) years, ending 31<sup>st</sup> March of the previous financial year, should be at least 30% of the estimated cost.
- 4) The bidder shall submit copies of relevant purchase order(s) & other documentary evidence as proof of satisfactory completion of similar supply & delivery.

Legible photocopies of all the documents as stated below countersigned by the tenderer need to be submitted accordingly in a separate sealed envelope super-scribing **'Qualifying Requirements', Tender Notice No. with date, Due date of Opening** and **'Name of the Procurement'**, otherwise the tender will be treated as invalid. Original copies of the documents are to be produced on demand.

- a) Credentials regarding Qualifying Requirements (e.g. Purchase Orders etc.),

- b) P&L Account and Balance Sheets for last 03 (Three) years,
- c) PAN Card,
- d) VAT/CST Return,
- e) Professional Tax Payment Certificate,
- f) Trade License.

**Important Dates:**

<b>Sale of Tender Document:</b>		From 30.10.2015 up to 09.11.2015 between 11:00 Hrs. and 14:30 Hrs.
<b>Last Date of Offer Submission:</b>		19.11.2015 within 15:00 Hrs.
<b>Opening of Tender:</b>	Part I & II	19.11.2015 at 15:15 Hrs.
	Part III	19.11.2015 or later duly intimated to the bidders.

**Sale of Tender Document:**

Tenders Document shall be obtained from Sr. Manager (M&C), STPS or his authorized representative against written application in duplicate on any working day except Saturday and holiday between 11:00 Hrs. and 14:30 Hrs. after deposit the cost against the Tender Document at Cash counter, S.T.P.S. by cash only. Tender paper must be sold by each of the applicants.

**Opening of Tender:**

- a) The tenders shall be opened in presence of representative of the prospective bidders, if available, at the time and date set for opening of tender as mentioned above. In case any extension has been given thereto on the extended tender opening date and time will be notified to all the prospective bidders who have purchased the Tender Documents. Authorized representatives (maximum two persons) of the prospective bidder may attend the opening.
- b) After opening the main cover, the envelope containing E.M.D. (Part-I) shall be opened first and if E.M.D. of requisite amount in proper mode is found the Q.R. (Part-II) will be opened.
- c) Price Bid (Part-III) of the prospective bidders who have qualified in both Part-I & Part-II will be considered only by the WBPDCCL for subsequent opening of Part-III at same or later date eliminating other participants.

**Evaluation of Tender:**

- a) Issuance of tender document to the participants will not qualify him automatically for the entire tender process.
- b) The WBPDCCL reserves the right to itself to accept any tender or reject any or all tenders or cancel / withdraw the invitation for tender without assigning any reason for such decision. Such decision by the WBPDCCL shall not be subject to question by any prospective bidder and the WBPDCCL shall bear no liability consequent upon such decision and the prospective bidders shall have no claim in this regard against the WBPDCCL.
- c) Evaluation by the WBPDCCL shall be based on the information and documentary evidence submitted by the prospective bidders in response to the tender documents. The requirements as stipulated in the tender notice and documents are the minimum and the WBPDCCL has the right to request for additional information. The WBPDCCL reserves the right to reject any tender, if in the opinion of the WBPDCCL the qualification data / documentary evidence submitted by the prospective bidders are incomplete or prospective bidders are found not qualified to satisfactorily perform the job. The WBPDCCL reserve the right to reject any tender if the prospective bidder is found to be disqualified by giving incorrect and / or false information.
- d) The WBPDCCL does not bind itself to accept the lowest tender and also reserves the right to split the procurement amongst more than one prospective bidder and also reserves the right to reject any or all tender or cancel the tender without assigning any reason whatsoever.
- e) Notwithstanding, anything stated above or elsewhere, the WBPDCCL reserves the right to assess the capability and capacity of the prospective bidders, should the circumstances warrant such assessment in the overall interest of the WBPDCCL.

**Encl:** 1) Annexure-II

Sd/-

(S. Maity)  
**General Manager**  
**STPS, The WBPDCCL**

## Annexure-II

Sl. No.	Item Code	Item Description	Quantity	Unit
1	04X020020	Bakelite Sheet: 10 mm Thickness, Paper base Bakelite grades as per IS 2036-1995; Size: 1220 mm X 1220 mm; colour: Dark brown	4	NO
2	04X020019	Bakelite Sheet: 4 mm Thickness, Paper base Bakelite grades as per IS 2036-1995; Size: 1220 mm X 1220 mm; colour: Dark brown	6	NO
3	04X020018	Bakelite Sheet: 6 mm Thickness, Paper base Bakelite grades as per IS 2036-1995; Size: 1220 mm X 1220 mm; colour: Dark brown	5	NO
4	18L050023	RUSTOLINE, Bottle: Aerosol Pack of 500 ml; Make: M/s Shri Parshwa Enterprise	9	NO
5	11M010015	Cleaner WD No 40, Rust Remover; Pack: 400 ml Can; Make: M/s Shri Parshwa Enterprise	3	LTR
6	06D010007	PEN OIL, MAKE STANVAC, Pack: 500 ml bottle	15	NO
7	11M010384	CRC 2-26, bottle: 400 ml can, Make: CRC Industries, Inc.	19	NO
8	04X010116	PLASTIC COATED TARPAULINS, SIZE- 24 FOOT X 18 FOOT, Silpaulin brand multilayered, cross laminated and U.V. stabilized plastic tarpaulin having desired mechanical properties like Tear, Tensile, Impact strength and 100% waterproofing properties in the basic material finished supported by all over side sealing with punched by aluminium ring type eyelets at 3 foot apart all round with ISI Mark. Requirement as per IS 7903: 2005 ; Average Mass g/m2: 120	1	NO
9	04X010117	PLASTIC COATED TARPAULINS, SIZE- 18 FOOTX 15 FOOT, Silpaulin brand multilayered, cross laminated and U.V. stabilized plastic tarpaulin having desired mechanical properties like Tear, Tensile, Impact strength and 100% waterproofing properties in the basic material finished supported by all over side sealing with punched by aluminium ring type eyelets at 3 foot apart all round with ISI Mark. Requirement as per IS 7903: 2005 ; Average Mass g/m2: 120	4	NO
10	06P070449	Gasket, Type: NEOPRENE RUBBER GASKET; Thickness: 2 mm; Size: 1 meter X 1 meter; temperatures ranging from -20 C to +110 C; Condition = New; ISO 9001 and ISO 14001 quality certified	3	NO
11	11G010081	M-seal monoplast compound, Pack: 100 gm.; Make: Pidilite Industries	0.6	KG
12	10F020833	Fevi Kwik (500 mg tube), Make: Pidilite Industries	4	NO
13	18B010007	ALKALINE BATTERY 9V,MN1604-6LR61, MAKE:DURACELL, Pack: 2 batteries	22	NO
14	11M010271	Araldite 180gm packet/90 gm packet, Araldite Standard Epoxy Adhesive (Resin 100g + Hardener 80g ) 180g; Make: Huntsman Advanced Materials	4	NO
15	11M010552	Dendrite Adhesives Tube : 50 gm.	4	NO
16	11M010187	Fevical 560gm	1120	GM
17	11M010210	Dr. Beck's Varnish, Type: Bectol Red in One Kg Container	9	KG
18	11M010044	Thinner -234 For Varnish, 800 gm sealed container, Make: Dr. Beck	8.2	KG
19	11M010567	Paint, Anti corrosive paint,1 Liter Pack, Make: Berger / Asian paints	4	LTR
20	11M010310	Rusto lick-631 (Anti rust spray), 370ml/Bottle	36	NO
21	12T030208	Rope Nylon Size-25mm Dia, Single piece	300	MTR
22	04C021547	Copper Lug. Ring Type. Insulated. 2.5 Sq. mm., CAT NO.- RSI - 7072, MAKE - DOWELL'S	200	NO
23	04M021598	Lug, 2.5 Sq.mm, Copper, Insulated, Type: Flat Pin, CAT NO.- CPI - 19, MAKE - DOWELL'S	200	NO
24	04C020375	6 Sq.mm RING / TUBULAR TYPE TERMINAL ENDS(INSULATED/ NON INSULATED),Cu(LUGS), RING TYPE, INSULATED, MAKE- DOWELL'S	300	NO
25	04C021549	Copper Lug. Ring Type. Insulated. 4.6 Sq. mm., TYPE- RS-7116, MAKE- DOWELL'S	300	NO
26	04C020377	10 Sq.mm RING / TUBULAR TYPE TERMINAL ENDS,Cu(LUGS), TYPE- RS-7121, MAKE- DOWELL'S	300	NO
27	04C020378	16 Sq.mm RING / TUBULAR TYPE TERMINAL ENDS,Cu(LUGS), TYPE- RS-7030, MAKE- DOWELL'S	300	NO
28	18E020005	CALLING BELL (DING DONG),240V, Make: Havells / Anchor	10	NO
29	04P090333	One Way Piano Switch, Make: ANCHOR. 06 Amp, 240 Volt	75	NO
30	15E020006	Switch , Piano , Single way , 240 V , 15 A , Anchor	35	NO

Sl. No.	Item Code	Item Description	Quantity	Unit
31	04E020017	Plug Socket Piano 5 Pin 230V 5amps, make- Havells / Anchor	60	NO
32	04E020003	Socket 230V 15A 3 Pin, make- Havells / Anchor	40	NO
33	12T031056	3-Cell LED Torch Make -Eveready Jibansathi	11	NO
34	04C020379	25 Sq.mm RING / TUBULAR TYPE TERMINAL ENDS,Cu(LUGS), make-Dowells, Type- Rs-7035	100	NO
35	12T030209	Rope Nylon Size-20mm Dia, Length: 200 meter	200	MTR
36	04C021551	Copper Lug. Rectangular Fork Type. Insulated 1.5 Sq. mm., Make- Dowells	200	NO
37	04C020119	COPPER LUGS, 1.5 SQ.MM, RING TYPE, Make- Dowells	100	NO
38	11C020013	Lug Pin for 1.5 Sq mm wire, Cu Lugs, Make- Dowells	100	NO
39	05C020079	Socket: U-shape(2.5 sq mm.), Cu Lugs, Fork Type, Make- Dowells	100	NO
40	04C020376	6 Sq.mm PIN TYPE TERMINAL ENDS(INSULATED/ NON INSULATED),Cu(LUGS), Cu Lugs, Insulated Type, Make- Dowells	100	NO
41	02S010032	HENSEL MAKE IP65 EMPTY ENCLOSURE,MADE OF HIGH QUALITY POLYCARBONATE(SHOCK PFOOR,RUST FREE,CORROSION FREE,ACID AND CHEMICAL RESISTANT,FIRE RETARDENT,HAVINF HIGH IMPACT, MADE OF HALOGEN AND SILICA FREE RECYCLABLE MATERIAL),UV RESISTANT,HAVING HIGH GRADE GASKET MADE OF POLYURETHANE, SHOULD WITH STAND GLOW WIRE TEST AT 60 DEG C,TRANSPARENT LID,HAVING SIZE OF 300X600X214MM, WITH 1 NO DETACHABLE POLYCARBINATE GLAND PLATE	1	NO
42	04C010041	Cable, Copper Conductor, Single Core, Flexible, FR PVC Insulated, Unsheathed, Size:2.5 Sq. mm, Colour: Red, Suitable for 1100 V to IS:694, Make: Havells / Finolex / V-Guard	300	MTR
43	04P011409	End Clamp with Screw for fixing Terminal Block in DIN Rail, DIN Rail Size: 35 X 7.5 X 1 mm, Make: Elmex	100	NO
44	04P011389	DIN Rail, Symmetrical Type, Size: 35mm X 7.5mm X 1mm, Material: Steel with electrolytic zinc plating, slotted in regular interval, suitable for MCB mounting length 1000 mm., Make: Elmex	26	NO
45	04S090063	Support insulator for bus bar. Length:-40mm, 415 volt	50	NO
46	04C010027	Cable, LT CU-(Flexible) Power 1C 16 Sqmm , Flame retardant, unsheathed, conforming to IS-694, Make: Havells / Finolex / V-Guard	200	MTR
47	04M021539	MCB: Single Pole, 240/415V AC, Tripping Curve: C, Breaking Current: 10KA, Rating: 20A, Make: Siemens / Havells / Schneider	25	NO
48	04P011386	Terminals Power Cable Type:- CBTM5 Make:- Elmex	400	NO
49	04C021537	Aluminium Lug. Ring Type. 10 Sq. mm. , Cat no - ALS 214, Make Dowells	300	NO
50	04C021538	Aluminium Lug. Ring Type. 16 Sq. mm. , Cat no - ALS 216, Make Dowells	500	NO
51	04C020104	Copper Lug, Ring Type, 35 sq. mm., Cat no - RS 7038, Make Dowells	300	NO
52	04C021512	STRAIGHT THROUGH ALUMINIUM LUG, 10 SQ. MM, CAT NO- ALS-14, Make - Dowells	100	NO
53	04C020034	Connector Crimping,Straight Through,,Aluminium,16 SQ MM, Cat No: ALS-4,Dowells	100	NO
54	04C020128	STRAIGHT THROUGH ALUMINIUM LUGS 25 SQ MM, Cat no - ALS 3, Make- Dowells	50	NO
55	04C021539	Aluminium Lug. Ring Type. 25 Sq. mm., Cat no - ALS 218, Make- Dowells	100	NO
56	04C021540	Aluminium Lug. Ring Type. 35 Sq. mm., Cat no - ALS 221, Make Dowells	250	NO
57	04C020129	STRAIGHT THROUGH ALUMINIUM LUGS 35 SQ MM, Cat no - ALS 2, Make Dowells	50	NO
58	04M041013	Motor space heater, 1 x 430W, 240V, 1-ph, 50 Hz, Make: Escort Ltd. / Kantilal Chunilal & Sons / Rashmi Heaters. (As per sample)	5	NO
59	04F040196	HRC FUSE, 100A, DIN Type, 250 Volt, Type - 3NA 1221, Make - Siemens	32	NO
60	04F041395	Fuse, HRC, DIN type, 200 Amp, 250 volt., size 00, Make - Siemens / L&T / ABB	30	NO
61	11F040067	HRC fuse: 32 A, DIN type, 250 volt, make - Siemens / L&T / ABB	50	NO
62	11F040037	HRC fuse : 10A, DIN type, 250 volt, make - Siemens / L&T / ABB	30	NO
63	04F041388	FUSE LINK SIEMENS,HRC FUSE LINK,3NS , 2A	25	NO
64	04F040317	Control Fuse(2),4 AMPS, HRC, Type - HG, Size -F1, Offset, Make - Siemens / L&T / ABB	49	NO
65	04F041393	Fuse, HRC, DIN type, 63 Amp, 250 Volt, make - Siemens / L&T / ABB	30	NO

Sl. No.	Item Code	Item Description	Quantity	Unit
66	11F040036	HRC fuse : 6A, Type - HG, Size -F1, Offset, Make - Siemens / L&T / ABB	44	NO
67	04F050541	Fuse Pulling Handle for HF Fuse link from 2A-63A, Cat No: SK91185, Make: L&T	3	NO
68	04F050542	Fuse Pulling Handle for HN Fuse link from 63A-800A, Cat No: SF90126, Make: L&T	3	NO
69	04E020432	Clip crocodile, Suitable for 4 sq. mm. cable	20	NO
70	04M021558	MCB: 4-Pole, 415V AC, Tripping Curve: C, Breaking Current: 10KA, Rating: 63A, Make: Siemens / Havells / Schneider	11	NO
71	04C010235	Copper Cable,1.1 kV, 2 Core x 2.5 mm, Cable, LT Copper flexible, PVC insulated, Size:- 2.5 Sq mm, 2 Core Suitable for 1100 V to IS : 694, Make:- Havells / Finolex / V-Guard	200	MTR
72	06M020049	MCB: Double Pole, 240/415V AC, Type: C, Breaking Current: 10KA, Rating: 6A, Make: Siemens / Havells / Schneider	4	NO
73	04M021543	MCB: Double Pole, 240/415V AC, Type: C, Breaking Current: 10KA, Rating: 10A, Make: Siemens / Havells / Schneider	4	NO
74	04M021545	MCB: Double Pole, 240/415V AC, Tripping Curve: C, Breaking Current: 10KA, Rating: 20A, Make: Siemens / Havells / Schneider	4	NO
75	04C020383	120 Sq.mm RING / TUBULAR TYPE TERMINAL ENDS,Cu(LUGS), MAKE - DOWELLS	30	NO
76	12T031876	Hand Operated Grease Gun with flexible hose, Lever Style, Net Volume: 500 CC	4	NO
77	12T031058	Tester cum Connector ,Make-Taparia: 813	21	NO
78	12T010102	Digital MultiMeter Waco-3130B, Display:4 digit (22000 counts) with accessories (Test lead,Battery,Carrying case, Manual), Make: Waco Instruments	1	NO
79	11M010359	Devcon' make Kit-Devkit	1	NO
80	11M010158	Cleaner , Make-Devcon	1	NO
81	11M010155	Plastic steel putty,5min,(SF),500 gms,Make-DEVCON	1	NO
82	04L030257	Copper ballast for 250 Watt,240 volt HPSV SON lamp, Make - Bajaj	20	NO
83	11X010112	Steel Grip PVC Tape Size -1.25cm /10mtr., Color-Red make Pidilite	10	NO
84	11X010115	Steel Grip PVC Tape Size -1.25cm /10mtr Color-Blue make Pidilite	10	NO
85	11X010114	Steel Grip PVC Tape Size-1.25cm /10mtr. Color-Yellow make Pidilite	10	NO
86	11M010451	C.R.C- Pen Oil MoS2, 500ml/bottle, Make: CRC Industries Europe (Belgium)	8	NO
87	11M010309	CRC make contact cleaner,Product No. 2-26, 500ml per Can. Make: CRC Industries Europe (Belgium)	35	NO
88	11G010080	M-seal monoplast tape, Size: 3mm X 35mm X 1mtr, Make: Pidilite	120	NO
89	04C011542	Cable, 1.1KV grade, Copper, PVC insulated, 1.5 Sq. mm, 1C, flexible, non-armored, Red, Flame retardant, unsheathed, conforming to IS-694, Make: Havells / Finolex	270	MTR
90	04C011545	Cable, 1.1KV grade, Copper, PVC insulated, 1.5 Sq. mm, 1C, flexible, non-armored, Black, Flame retardant, unsheathed, conforming to IS-694, Make: Havells / Finolex	270	MTR
91	04C011546	Cable, 1.1KV grade, Copper, PVC insulated, 2.5 Sq. mm, 1C, flexible, non-armored, Red, Flame retardant, unsheathed, conforming to IS-694, Make: Havells / Finolex	180	MTR
92	04C011549	Cable, 1.1KV grade, Copper, PVC insulated, 2.5 Sq. mm, 1C, flexible, non-armored, Black, Flame retardant, unsheathed, conforming to IS-694, Make: Havells / Finolex	180	MTR
93	04C011558	Cable, 1.1KV grade, Copper, PVC insulated, 4 Sq. mm, 1C, flexible, non-armored, Black, Flame retardant, unsheathed, conforming to IS-694, Make: Havells / Finolex	90	MTR